

# SAFETY DATA SHEET



n-Heptanol  
10900

Version / Revision 3  
Supersedes Version 2.00\*\*\*

Revision Date 05-Aug-2020  
Issuing date 05-Aug-2020

## SECTION 1: Identification of the substance / mixture and of the company / undertaking

### 1.1. Product identifier

Identification of the substance/preparation

**n-Heptanol**

CAS-No 111-70-6  
EC No. 203-897-9  
Registration number (REACH) 01-2119900490-51\*\*\*

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Transported isolated intermediate (1907/2006)  
Uses advised against None

### 1.3. Details of the supplier of the safety data sheet

Company/Undertaking **OQ Chemicals GmbH**  
Identification Rheinpromenade 4A  
D-40789 Monheim  
Germany

Product Information Product Stewardship  
FAX: +49 (0)208 693 2053  
email: sc.psq@oq.com

### 1.4. Emergency telephone number

Emergency telephone number +44 (0) 1235 239 670 (UK)  
available 24/7\*\*\*

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

This substance is classified based on Directive 1272/2008/EC and its amendments (CLP Regulation)

Serious eye damage/eye irritation Category 2, H319

#### Additional information

For full text of Hazard- and EU Hazard-statements see SECTION 16.\*\*\*

### 2.2. Label elements

Labelling according to Regulation 1272/2008/EC and its amendments (CLP Regulation).\*\*\*

#### Hazard pictograms

# SAFETY DATA SHEET



n-Heptanol  
10900

Version / Revision 3



**Signal word**

**Warning**

**Hazard statements**

H319: Causes serious eye irritation.

**Precautionary statements**

P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313: If eye irritation persists: Get medical advice/ attention.

## 2.3. Other hazards

Components of the product may be absorbed into the body by inhalation and ingestion  
Vapour/air-mixtures are explosive at intense warming

**PBT and vPvB assessment**

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)\*\*\*

## SECTION 3: Composition / information on ingredients

### 3.1. Substances

Component	CAS-No	REACH-No	1272/2008/EC	Concentration (%)
Heptan-1-ol	111-70-6	01-2119900490-51** *	Eye Irrit. 2; H319	> 99,0

For full text of Hazard- and EU Hazard-statements see SECTION 16.\*\*\*

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

#### Skin

Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

#### Eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

#### Ingestion

Call a physician immediately. Do not induce vomiting without medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed



n-Heptanol  
10900

Version / Revision 3

## Main symptoms

cough, headache, dizziness, drowsiness, nausea.

## Special hazard

Lung irritation, Pneumonia, Prolonged skin contact may defat the skin and produce dermatitis.

## 4.3. Indication of any immediate medical attention and special treatment needed

### General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically. If ingested, irrigate the stomach using activated charcoal.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

foam, dry chemical, carbon dioxide (CO<sub>2</sub>), water spray

#### Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

Under conditions giving incomplete combustion, hazardous gases produced may consist of:

carbon monoxide (CO)

carbon dioxide (CO<sub>2</sub>)

Combustion gases of organic materials must in principle be graded as inhalation poisons

Vapours are heavier than air and may spread along floors

Vapour/air-mixtures are explosive at intense warming

### 5.3. Advice for firefighters

#### Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

#### Precautions for firefighting

Cool containers / tanks with water spray. Dike and collect water used to fight fire. Keep people away from and upwind of fire.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition.

For emergency responders: Personal protection see section 8.\*\*\*

### 6.2. Environmental precautions

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment

# SAFETY DATA SHEET



n-Heptanol  
10900

Version / Revision 3

(biological treatment plant).

## 6.3. Methods and material for containment and cleaning up

### Methods for containment

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

### Methods for cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum. Dispose of in accordance with local regulations. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

## 6.4. Reference to other sections

For personal protective equipment see section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Provide sufficient air exchange and/or exhaust in work rooms.

#### Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

#### Advice on the protection of the environment

See Section 8: Environmental exposure controls.

#### Incompatible products

strong acids  
oxidizing agents

### 7.2. Conditions for safe storage, including any incompatibilities

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material. Vapour/air-mixtures are explosive at intense warming.

#### Technical measures/Storage conditions

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care.

#### Temperature class

T3

### 7.3. Specific end use(s)

Transported isolated intermediate (1907/2006)

## SECTION 8: Exposure controls / personal protection

# SAFETY DATA SHEET



n-Heptanol  
10900

Version / Revision 3

## 8.1. Control parameters

### Exposure limits European Union

No exposure limits established

### Exposure limits UK

No exposure limits established.

### DNEL & PNEC

#### Heptan-1-ol, CAS: 111-70-6 Workers

DN(M)EL - long-term exposure - systemic effects - Inhalation	35,26*** mg/m <sup>3</sup>
DN(M)EL - acute / short-term exposure - systemic effects - Inhalation	No hazard identified***
DN(M)EL - long-term exposure - local effects - Inhalation	Hazard unknown (no further information necessary)***
DN(M)EL - acute / short-term exposure - local effects - Inhalation	No hazard identified***
DN(M)EL - long-term exposure - systemic effects - Dermal	10*** mg/kg bw/day
DN(M)EL - acute / short-term exposure - systemic effects - Dermal	No hazard identified***
DN(M)EL - long-term exposure - local effects - Dermal	Hazard unknown (no further information necessary)***
DN(M)EL - acute / short-term exposure - local effects - Dermal	No hazard identified***
DN(M)EL - local effects - eyes	low hazard***

### General population

DN(M)EL - long-term exposure - systemic effects - Inhalation	No hazard identified***
DN(M)EL - acute / short-term exposure - systemic effects - Inhalation	No hazard identified***
DN(M)EL - long-term exposure - local effects - Inhalation	Hazard unknown (no further information necessary)***
DN(M)EL - acute / short-term exposure - local effects - Inhalation	No hazard identified***
DN(M)EL - long-term exposure - systemic effects - Dermal	No hazard identified***
DN(M)EL - acute / short-term exposure - systemic effects - Dermal	No hazard identified***
DN(M)EL - long-term exposure - local effects - Dermal	No hazard identified***
DN(M)EL - acute / short-term exposure - local effects - Dermal	No hazard identified***
DN(M)EL - long-term exposure - systemic effects - Oral	No hazard identified***
DN(M)EL - acute / short-term exposure - systemic effects - Oral	No hazard identified***
DN(M)EL - local effects - eyes	No hazard identified***

### Environment

PNEC aqua - freshwater	0,027*** mg/l
PNEC aqua - marine water	0,003*** mg/l
PNEC aqua - intermittent releases	0,175*** mg/l
PNEC STP	10 mg/l
PNEC sediment - freshwater	0,22*** mg/kg

# SAFETY DATA SHEET



n-Heptanol  
10900

Version / Revision 3

<b>PNEC sediment - marine water</b>	0,022*** mg/kg
<b>PNEC Air</b>	No hazard identified***
<b>PNEC soil</b>	0,028*** mg/kg
<b>Secondary poisoning</b>	No potential for bioaccumulation***

## 8.2. Exposure controls

### Special adaptations (REACH)

The substance has been registered as an transported isolated intermediate and must be handled throughout its life cycle under strictly controlled conditions in accordance with Article 18.4, REACH.\*\*\*

### Appropriate Engineering controls

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

### Personal protective equipment

#### General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

#### Eye protection

Tightly fitting safety goggles. In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

Equipment should conform to EN 166

#### Hand protection

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

<b>Suitable material</b>	nitrile rubber
<b>Reference substance</b>	n-Hexanol
<b>Evaluation</b>	according to EN 374: level 6
<b>Glove thickness</b>	approx 0,55 mm
<b>Break through time</b>	> 480 min
<b>Suitable material</b>	polyvinylchloride / nitrile rubber
<b>Reference substance</b>	n-Hexanol
<b>Evaluation</b>	according to EN 374: level 6
<b>Glove thickness</b>	approx 0,9 mm
<b>Break through time</b>	> 480 min

#### Skin and body protection

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

#### Respiratory protection

Respirator with A filter. Full mask with above mentioned filter according to producers using requirements or self-contained breathing apparatus. Equipment should conform to EN 136 or EN 140 and EN 143.

# SAFETY DATA SHEET



n-Heptanol  
10900

Version / Revision 3

## Environmental exposure controls

If possible use in closed systems. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

## Additional advice

Further details on substance data can be found in the registration dossier under the following link:  
<http://echa.europa.eu/information-on-chemicals/registered-substances>.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	liquid
Colour	colourless
Odour	slight
Odour threshold	No data available
pH	No data available
Melting point/range	- 34,6 °C
Boiling point/range	179,38 °C @ 1013 hPa
Method	OECD 103***
Flash point	76 °C @ 1013 hPa***
Method	EU A.9***
Evaporation rate	No data available
Flammability (solid, gas)	Does not apply, the substance is a liquid
Lower explosion limit	0,9 Vol %
Upper explosion limit	No data available

#### Vapour pressure

Values [hPa]	Values [kPa]	Values [atm]	@ °C	@ °F	Method
0,070***	0,007***	< 0,001	20***	68***	EU A.4***
0,100***	0,01***	< 0,001***	25***	77***	EU A.4***

Vapour density 4,01 (Air = 1) @ 20 °C (68 °F)

#### Relative density

Values	@ °C	@ °F	Method
0,8222***	20	68	OECD 109***

Solubility 1,63 mg/l @ 25 °C, in water, OECD 105\*\*\*

log Pow 2,2 (measured), OECD 117

Autoignition temperature 292 °C @ 992 hPa\*\*\*

Method EU A.15\*\*\*

Decomposition temperature No data available

Viscosity 7,4 mPa\*s @ 20 °C  
Method dynamic, OECD 114\*\*\*

Explosive properties Does not apply, substance is not explosive. There are no chemical groups associated with explosive properties

Oxidizing properties Does not apply, substance is not oxidising. There are no chemical groups associated with oxidizing properties

### 9.2. Other information

Molecular weight	116,20
Molecular formula	C7 H16 O

# SAFETY DATA SHEET



n-Heptanol  
10900

Version / Revision 3

log K<sub>oc</sub> 1,66 @ 22 °C, OECD 121\*\*\*  
Refractive index 1,4249 @ 20 °C  
Surface tension 41 mN/m @ 20 °C, OECD 115\*\*\*

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

### 10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

### 10.5. Incompatible materials

strong acids, oxidizing agents.

### 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Likely routes of exposure** Ingestion, Inhalation, Eye contact, Skin contact

Acute toxicity				
Heptan-1-ol (111-70-6)				
Routes of Exposure	Endpoint	Values	Species	Method
Dermal	LD50	> 2000 mg/kg	rabbit	OECD 402
Inhalative	LC0	> 7,4 mg/m <sup>3</sup> (4h)	rat, male/female	sat. vapor OECD 403
Oral	LD50	5500 - 6200 mg/kg	rat, male/female	OECD 401

#### Heptan-1-ol, CAS: 111-70-6

##### Assessment

Based on available data, the classification criteria are not met for:

Acute oral toxicity  
Acute dermal toxicity  
Acute inhalation toxicity  
STOT SE



# SAFETY DATA SHEET



n-Heptanol  
10900

Version / Revision 3

Irritation and corrosion				
Heptan-1-ol (111-70-6)				
Target Organ Effects	Species	Result	Method	
Skin	rabbit	Mild skin irritation	OECD 404	
Eyes	rabbit	irritating	OECD 405	

## Heptan-1-ol, CAS: 111-70-6

### Assessment

The available data lead to the classification given in section 2  
For respiratory irritation, no data are available

Sensitization				
Heptan-1-ol (111-70-6)				
Target Organ Effects	Species	Evaluation	Method	
Skin	guinea pig male/female***	not sensitizing	OECD 406	
Skin	mouse female***	mildly sensitizing	OECD 429	

## Heptan-1-ol, CAS: 111-70-6

### Assessment

Based on available data, the classification criteria are not met for:  
Skin sensitization  
For respiratory sensitization, no data are available

Subacute, subchronic and prolonged toxicity				
Heptan-1-ol (111-70-6)				
Type	Dose	Species	Method	
Subacute toxicity	NOAEL: $\geq$ 1000 mg/kg/d	rat, male/female	OECD 422 Oral***	
Subacute toxicity Subchronic toxicity***	NOAEL: 1000 mg/kg/d***	rat, male/female	OECD 408 Oral***	read across

## Heptan-1-ol, CAS: 111-70-6

### Assessment

Based on available data, the classification criteria are not met for:  
STOT RE

Carcinogenicity, Mutagenicity, Reproductive toxicity					
Heptan-1-ol (111-70-6)					
Type	Dose	Species	Evaluation	Method	
Mutagenicity		human lymphocytes	negative	OECD 473 (Chromosomal Aberration)	In vitro study
Mutagenicity		mouse lymphoma cells	negative	OECD 476 (Mammalian Gene Mutation)	In vitro study
Mutagenicity		Salmonella typhimurium	negative	OECD 471 (Ames)	In vitro study
Reproductive toxicity	NOAEL 1000 mg/kg/d	rat, male/female***		OECD 422, Oral***	read across Oral
Reproductive toxicity	NOAEL 1000 mg/kg/d	rat, 1. Generation, male/female		OECD 421, OECD 422, Oral***	read across Oral

# SAFETY DATA SHEET



n-Heptanol  
10900

Version / Revision 3

Developmental Toxicity	NOEC 3500 mg/m <sup>3</sup>	rat		Inhalation	read across Maternal toxicity Teratogenicity
------------------------	-----------------------------	-----	--	------------	--

## Heptan-1-ol, CAS: 111-70-6

### CMR Classification

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

### Evaluation

In vitro tests did not show mutagenic effects

## Heptan-1-ol, CAS: 111-70-6

### Main symptoms

cough, headache, dizziness, drowsiness, nausea.

### Target Organ Systemic Toxicant - Single exposure

Based on available data, the classification criteria are not met for:  
STOT SE

### Target Organ Systemic Toxicant - Repeated exposure

Based on available data, the classification criteria are not met for:  
STOT RE

### Aspiration toxicity

no data available

### Other adverse effects

Components of the product may be absorbed into the body by inhalation and ingestion.

### Note

Handle in accordance with good industrial hygiene and safety practice. Further details on substance data can be found in the registration dossier under the following link:

<http://echa.europa.eu/information-on-chemicals/registered-substances>.

## SECTION 12: Ecological information

### 12.1. Toxicity

Acute aquatic toxicity			
Heptan-1-ol (111-70-6)			
Species	Exposure time	Dose	Method
Oryzias latipes (Medaka)***	96h	LC50: 17,6 mg/l	OECD 203***
Daphnia magna (Water flea)	48h	EC50: 55,5 mg/l	OECD 202***
Scenedesmus quadricauda (Green algae)	7 d	TTC: 17 mg/l	
Pseudokirchneriella subcapitata	72h***	EC50: 32,7 mg/l***	OECD 201 Growth rate***
Activated sludge (bacteriae)	3 h	NOEC: 100 mg/l	OECD 209

Long term toxicity				
Heptan-1-ol (111-70-6)				
Type	Species	Dose	Method	
Aquatic toxicity***	Daphnia magna (Water flea)***	NOEC: 1,37 mg/l (21d)***	OECD 211***	
Aquatic toxicity***	Pseudokirchneriella subcapitata***	NOEC: 10,4 mg/l (3d)***	OECD 201 Growth rate***	

Sediment toxicity	
Heptan-1-ol (111-70-6)	

# SAFETY DATA SHEET



n-Heptanol  
10900

Version / Revision 3

Species	Exposure time	Dose	Type	Method
Chironomus thummi***	2 d***	EC50: 80 mg/l***	Mortality***	

Terrestrial toxicity				
Heptan-1-ol (111-70-6)				
Species	Exposure time	Dose	Type	Method
Drosophila melanogaster***	3 d***	LC50: < 0,42 mg/kg soil dw***	Mortality***	read across***

## 12.2. Persistence and degradability

### Heptan-1-ol, CAS: 111-70-6

#### Biodegradation

84 % (28 d), activated sludge, non-adapted, aerobic, OECD 301 F.

Abiotic Degradation		
Heptan-1-ol (111-70-6)		
Type	Result	Method
Hydrolysis***	stable under test conditions***	OECD 111***
Photolysis***	No data available***	

## 12.3. Bioaccumulative potential

Heptan-1-ol (111-70-6)		
Type	Result	Method
log Pow***	2,2***	measured, OECD 117***
log BCF***	No potential for bioaccumulation***	

## 12.4. Mobility in soil

Heptan-1-ol (111-70-6)		
Type	Result	Method
Surface tension***	no data available 41 mN/m (412 g/l @ 20°C (68°F))***	OECD 115***
Adsorption/Desorption***	log Koc: 1,66 @ 22 °C***	OECD 121***
Distribution to environmental compartments***	no data available***	

## 12.5. Results of PBT and vPvB assessment

### Heptan-1-ol, CAS: 111-70-6

#### PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

## 12.6. Other adverse effects

### Heptan-1-ol, CAS: 111-70-6

No data available

# SAFETY DATA SHEET



n-Heptanol  
10900

Version / Revision 3

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Product Information

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

Hazardous waste according to European Waste Catalogue (EWC)

#### Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

## SECTION 14: Transport information

### Section 14.1 - 14.6

#### ADR/RID

Not restricted

#### ADN

ADN Container  
Not restricted

#### ADN

ADN Tanker

#### 14.1. UN number

ID 9003

#### 14.2. UN proper shipping name

Substances with a flashpoint between 60 °C and not more than 100 °C (n-Heptanol)

#### 14.3. Transport hazard class(es)

9

Subsidiary Risk

N3, F

#### 14.4. Packing group

-

#### 14.5. Environmental hazards

no

#### 14.6. Special precautions for user

no data available

#### ICAO-TI / IATA-DGR

Not restricted

#### IMDG

Not restricted

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Product name

Heptanol

Ship type

3

Pollution category

Y

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance

# SAFETY DATA SHEET



n-Heptanol  
10900

Version / Revision 3

or mixture

## Regulation 1272/2008, Annex VI

not listed

## DI 2012/18/EU (Seveso III)

Category not subject

## DI 1999/13/EC (VOC Guideline)

Component	Status
Heptan-1-ol CAS: 111-70-6	regulated

## International Inventories

### **Heptan-1-ol, CAS: 111-70-6**

AICS (AU)\*\*\*

DSL (CA)\*\*\*

IECSC (CN)\*\*\*

EC-No. 2038979 (EU)\*\*\*

ENCS (2)-217 (JP)\*\*\*

ISHL (2)-217 (JP)\*\*\*

KECI KE-18302 (KR)\*\*\*

INSQ (MX)\*\*\*

PICCS (PH)\*\*\*

TSCA (US)\*\*\*

NZIoC (NZ)\*\*\*

TCSI (TW)\*\*\*

## National regulatory information Great Britain

### **Releases to air (Pollution Inventory Substances)**

not subject

### **Releases to water (Pollution Inventory Substances)**

not subject

### **Releases to sewer (Pollution Inventory Substances)**

not subject

For details and further information please refer to the original regulation

## **15.2. Chemical safety assessment**

The Chemical Safety Report (CSR) is not required.

## **SECTION 16: Other information**

### **Full text of H-Statements referred to under sections 2 and 3**

H319: Causes serious eye irritation.

# SAFETY DATA SHEET



n-Heptanol  
10900

Version / Revision 3

---

## Abbreviations

A table of terms and abbreviations can be found under the following link:  
[http://echa.europa.eu/documents/10162/13632/information\\_requirements\\_r20\\_en.pdf](http://echa.europa.eu/documents/10162/13632/information_requirements_r20_en.pdf)

## Training advice

For effective first-aid, special training / education is needed.

## Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.

## Further information for the safety data sheet

Changes against the previous version are marked by \*\*\*. Observe national and local legal requirements. For more information, other material safety data sheets or technical data sheets please consult the OQ homepage ([www.chemicals.oq.com](http://www.chemicals.oq.com)).

The annex is not required because the substance is registered as an intermediate under REACH

## Disclaimer

**For industrial use only.** The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

**End of Safety Data Sheet**