

# SAFETY DATA SHEET



**OXSOFT 3G8**  
**11260**

Version / Revision  
Supersedes Version

6  
5.01

Revision Date  
Issuing date

06-May-2020  
15-May-2020

## SECTION 1: Identification

### 1.1. Product identifier

Identification of the  
substance/preparation

**OXSOFT 3G8**

Chemical Name

Triethylenglycol-di-(2-ethylhexanoate), 2,2'-Ethylenedioxydiethyl  
bis(2-ethylhexanoate)

CAS-No

94-28-0

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance /  
Preparation

plasticizer

Uses advised against

None

### 1.3. Details of the supplier of the safety data sheet

Supplier

**OQ Chemicals Corporation**  
15375 Memorial Drive  
West Memorial Place I  
Suite 300  
Houston, TX 77079  
USA  
Phone +1 346 378 7300

Product Information

Product Stewardship  
FAX: +49 (0)208 693 2053  
email: sc.psq@oq.com

### 1.4. Emergency telephone number

Emergency telephone number

NCEC +1 202 464 2554  
available 24/7

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

This substance is not hazardous in accordance with paragraph (d) of §1910.1200 (GHS-US classification).

OSHA Specified Hazards

Not applicable.

# SAFETY DATA SHEET



OXSOFT 3G8  
11260

Version / Revision 6

## 2.2. Label elements

Not required according to §1910.1200 (GHS-US labeling).

## 2.3. Other hazards

None known

## SECTION 3: Composition / information on ingredients

### 3.1. Substances

Component	CAS-No	Concentration (%)
2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate)	94-28-0	> 97

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

#### Skin

Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

#### Eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

#### Ingestion

Call a physician immediately. Do not induce vomiting without medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Main symptoms

None known.

#### Special hazard

None known.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically.

# SAFETY DATA SHEET



OXSOFT 3G8  
11260

Version / Revision 6

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

foam, dry chemical, carbon dioxide (CO<sub>2</sub>), water spray

#### Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

Under conditions giving incomplete combustion, hazardous gases produced may consist of:

carbon monoxide (CO)

carbon dioxide (CO<sub>2</sub>)

Combustion gases of organic materials must in principle be graded as inhalation poisons

Vapours are heavier than air and may spread along floors

### 5.3. Advice for firefighters

#### Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

#### Precautions for firefighting

Cool containers / tanks with water spray. Dike and collect water used to fight fire. Keep people away from and upwind of fire.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition.

For emergency responders: Personal protection see section 8.

### 6.2. Environmental precautions

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment (biological treatment plant).

### 6.3. Methods and material for containment and cleaning up

#### Methods for containment

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

#### Methods for cleaning up

Emergency telephone number  
3 / 13

NCEC +1 202 464 2554  
USA (A-US)

# SAFETY DATA SHEET



**OXSOFT 3G8**  
11260

Version / Revision 6

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum. Dispose of in accordance with local regulations. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

## 6.4. Reference to other sections

For personal protective equipment see section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Provide sufficient air exchange and/or exhaust in work rooms.

#### Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

#### Advice on the protection of the environment

See Section 8: Environmental exposure controls.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material.

#### Technical measures/Storage conditions

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care.

#### Unsuitable material

None known

## SECTION 8: Exposure controls / personal protection

### 8.1. Control parameters

#### Exposure limits United States of America

No exposure limits established regarding ACGIH, OSHA Z-1 and OSHA Z-2.

### 8.2. Exposure controls

#### Appropriate Engineering controls

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local

# SAFETY DATA SHEET



**OXSOFT 3G8**  
**11260**

**Version / Revision** 6

ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

## **Individual protection measures, such as personal protective equipment**

### **General industrial hygiene practice**

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure that eyewash stations and safety showers are close to the workstation location.

### **Hygiene measures**

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

### **Eye protection**

Tightly fitting safety goggles. In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

### **Hand protection**

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

<b>Suitable material</b>	nitrile rubber
<b>Reference substance</b>	Di-(2-ethylhexyl)-phthalate
<b>Evaluation</b>	according to EN 374: level 6
<b>Glove thickness</b>	approx 0,55 mm
<b>Break through time</b>	> 480 min

<b>Suitable material</b>	polyvinylchloride / nitrile rubber
<b>Reference substance</b>	Di-(2-ethylhexyl)-phthalate
<b>Evaluation</b>	according to EN 374: level 6
<b>Glove thickness</b>	approx 0,9 mm
<b>Break through time</b>	> 480 min

### **Skin and body protection**

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

### **Respiratory protection**

Respirator with filter for organic vapour. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Equipment should conform to NIOSH.

### **Environmental exposure controls**

If possible use in closed systems. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

**Emergency telephone number**  
5 / 13

NCEC +1 202 464 2554  
USA (A-US)

# SAFETY DATA SHEET



OXSOFT 3G8  
11260

Version / Revision 6

**Appearance** liquid  
**Colour** colourless  
**Odour** fruity mild  
**Odour threshold** No data available  
**pH** No data available  
**Melting point/range** -94 °F (-70 °C)  
**Method** DIN ISO 3016  
**Boiling point/range** 644 - 664 °F ( 340 - 351 °C) @ 1 atm (101,3 kPa)  
**Method** DIN 53171  
**Flash point** 385 °F (196 °C) @ 1 atm (101,3 kPa)  
**Method** ISO 2719  
**Evaporation rate** No data available  
**Flammability (solid, gas)** Does not apply, the substance is a liquid  
**Lower explosion limit** 0,46 Vol %  
**Upper explosion limit** No data available

## Vapour pressure

Values [hPa]	Values [kPa]	Values [atm]	@ °C	@ °F	Method
< 0,001	< 0,0001	< 0,001	20	68	EU A.4

**Vapour density** No data available

## Relative density

Values	@ °C	@ °F	Method
0,967	20	68	DIN 51757

**Solubility** 1,53 mg/l @ 68 °F (20 °C), in water, OECD 105

**log Pow** 6,1 (measured) OECD 117

**Autoignition temperature** 689 °F (365 °C)

**Method** DIN 51794

**Decomposition temperature** No data available

**Viscosity** 16,4 mPa\*s @ 68 °F (20 °C)

**Method** dynamic, DIN 51562, ASTM D445

## 9.2. Other information

**Molecular weight** 402,56

**Molecular formula** C22 H42 O6

**log Koc** 4,36 OECD 121

**Oxidizing properties** Does not apply, substance is not oxidising. There are no chemical groups associated with oxidizing properties

**Conductivity** 0,68 µS/m @ 68 °F (20 °C)

**Refractive Index** 1,444 @ 68 °F (20 °C)

**Explosive properties** Does not apply, substance is not explosive. There are no chemical groups associated with explosive properties

**Surface tension** 45,8 mN/m (1,375 mg/l @ 20°C), OECD 115

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

# SAFETY DATA SHEET



OXSOFT 3G8  
11260

Version / Revision 6

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

## 10.2. Chemical stability

Stable under recommended storage conditions. Thermal decomposition can take place above 250°C.

## 10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

## 10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

## 10.5. Incompatible materials

None known.

## 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Likely routes of exposure**          Ingestion, Eye contact, Skin contact

#### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

##### **Target Organ Systemic Toxicant - Single exposure**

Based on available data, the classification criteria are not met for:  
STOT SE

##### **Target Organ Systemic Toxicant - Repeated exposure**

Based on available data, the classification criteria are not met for:  
STOT RE

#### **Acute toxicity**

#### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)

Routes of Exposure	Endpoint	Values	Species	Method
Oral	LD50	> 2000 mg/kg	rat, female	OECD 420
Dermal	LD50	> 2000 mg/kg	rat, male/female	OECD 402
Inhalative	LC50	> 2000 mg/m <sup>3</sup> (4h)	rat, male	OECD 403

#### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

##### **Assessment**

Based on available data, the classification criteria are not met for:  
Acute oral toxicity

Emergency telephone number  
7 / 13

NCEC +1 202 464 2554  
USA (A-US)

# SAFETY DATA SHEET



**OXSOFT 3G8**  
**11260**

Version / Revision 6

Acute dermal toxicity  
Acute inhalation toxicity  
STOT SE

<b>Irritation and corrosion</b>				
<b>2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)</b>				
Target Organ Effects	Species	Result	Method	
Skin	rabbit	Mild skin irritation	OECD 404	4h
Eyes	rabbit	Mild eye irritation	OECD 405	

## **2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0**

### **Assessment**

Based on available data, the classification criteria are not met for:  
skin irritation/corrosion  
eye irritation/corrosion  
For respiratory irritation, no data are available

<b>Sensitization</b>				
<b>2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)</b>				
Target Organ Effects	Species	Evaluation	Method	
Skin	mouse	not sensitizing	OECD 429	
Skin	guinea pig	not sensitizing	OECD 406	

## **2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0**

### **Assessment**

Based on available data, the classification criteria are not met for:  
Skin sensitization  
For respiratory sensitization, no data are available

<b>Subacute, subchronic and prolonged toxicity</b>				
<b>2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)</b>				
Type	Dose	Species	Method	
Subacute toxicity	NOAEL: 5000 ppm	rat, male/female	OECD 422	Oral
Subacute toxicity	NOAEC: 1000 mg/m <sup>3</sup> (14 d)	rat, male	OECD 403	Inhalation
Subchronic toxicity	NOAEL: 120 mg/kg/d (90d)	rat, female	OECD 408	Oral

## **2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0**

### **Assessment**

Based on available data, the classification criteria are not met for:  
STOT RE

<b>Carcinogenicity, Mutagenicity, Reproductive toxicity</b>					
<b>2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)</b>					
Type	Dose	Species	Evaluation	Method	
Mutagenicity		Salmonella typhimurium	negative	OECD 471 (Ames)	In vitro study



# SAFETY DATA SHEET



**OXSOFT 3G8**  
**11260**

**Version / Revision** 6

Mutagenicity		mouse lymphoma cells	negative	OECD 476 (Mammalian Gene Mutation)	In vitro study
Mutagenicity		human lymphocytes	negative	OECD 473 (Chromosomal Aberration)	In vitro study
Reproductive toxicity	NOAEL: 5000 ppm	rat, parental		OECD 422, Oral	
Reproductive toxicity	NOAEL: 15000 ppm	rat, 1. Generation, male/female		OECD 422, Oral	
Developmental Toxicity	NOAEL 300 mg/kg/d	rat	Maternal toxicity	OECD 414, Oral	
Developmental Toxicity	NOAEL 300 mg/kg/d	rat	Developmental toxicity	OECD 414, Oral	
Carcinogenicity	No data available				

## **2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0**

### **CMR Classification**

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

### **Evaluation**

In vitro tests did not show mutagenic effects  
Animal testing did not show any effects on fertility  
No developmental effects in the absence of maternal toxicity  
No cancer study was conducted

## **2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0**

### **Aspiration toxicity**

no data available

### **Note**

Handle in accordance with good industrial hygiene and safety practice. Further details on substance data can be found in the registration dossier under the following link:  
<http://echa.europa.eu/information-on-chemicals/registered-substances>.

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

<b>Acute aquatic toxicity</b>			
<b>2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)</b>			
Species	Exposure time	Dose	Method
Pimephales promelas (fathead minnow)	96h	LC50: > 97 mg/l	
Danio rerio (Zebra fish)	96h	LC0: > 78 mg/l	84/449/EEC C.1
Daphnia magna (Water flea)	96h	EC50: > 97 mg/l	Mobility
Desmodesmus subspicatus	72h	EC50: > 55,9 mg/l (Growth rate)	84/449/EEC C.3
Mysidopsis bahia	48h	LC50: > 1,8 mg/l	EPA/600/4-90/027

**Emergency telephone number**  
9 / 13

NCEC +1 202 464 2554  
USA (A-US)

# SAFETY DATA SHEET



OXSOFT 3G8  
11260

Version / Revision 6

Pseudomonas putida	5 h	EC10 : >1934 g/l	
--------------------	-----	------------------	--

Long term toxicity				
2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)				
Type	Species	Dose	Method	
Aquatic toxicity	Desmodesmus subspicatus	NOEC: 27 mg/l (3d) Cell number	84/449/EEC C.3	

## 12.2. Persistence and degradability

### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

#### Biodegradation

92 % (28 d), Readily biodegradable, BOD.

Abiotic Degradation			
2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)			
Type	Result	Method	
Hydrolysis	No data available		
Photolysis	No data available		

## 12.3. Bioaccumulative potential

2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)		
Type	Result	Method
log Pow	6,1	measured, OECD 117
BCF	No data available	

## 12.4. Mobility in soil

2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)		
Type	Result	Method
Surface tension	45,8 mN/m @ 20 °C (68 °F) @ 1,375 mg/l	OECD 115
Adsorption/Desorption	log Koc: 4,36	OECD 121
Distribution to environmental compartments	no data available	

## 12.5. Results of PBT and vPvB assessment

### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

#### PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

## 12.6. Other adverse effects

Emergency telephone number  
10 / 13

NCEC +1 202 464 2554  
USA (A-US)

# SAFETY DATA SHEET



OXSOFT 3G8  
11260

Version / Revision 6

2,2'-Ethylendioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Product Information

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

#### Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

## SECTION 14: Transport information

### Section 14.1 - 14.6

D.O.T. (49CFR) Not restricted

ICAO-TI / IATA-DGR Not restricted

IMDG Not restricted

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

## SECTION 15: Regulatory information

### Federal and State Regulations

Components of the product are listed in the quoted regulations. For details please refer to the regulations directly. This list is not exhaustive, please check for other applicable regulations.

#### Federal Regulations

This product is listed on the TSCA inventory

# SAFETY DATA SHEET



**OXSOFT 3G8**  
11260

Version / Revision 6

## International Inventories

### **2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0**

AICS (AU)  
DSL (CA)  
IECSC (CN)  
EC-No. 2023192 (EU)  
ENCS (2)-658 (JP)  
ISHL (2)-658 (JP)  
KECI KE-13751 (KR)  
PICCS (PH)  
TSCA (US)  
NZIoC-NZ May be used as single component chemical  
TCSI (TW)

## **SECTION 16: Other information**

Revision Date 06-May-2020  
Issuing date 15-May-2020

### Hazard Rating Systems

#### **NFPA (National Fire Protection Association)**

Health Hazard 0  
Fire Hazard 1  
Reactivity 0

#### **HMIS (Hazardous Material Information System)**

Health Hazard 0  
Flammability 1  
Physical Hazard 0

#### **Training advice**

For effective first-aid, special training / education is needed.

#### **Sources of key data used to compile the datasheet**

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.

#### **Further information for the safety data sheet**

Changes against the previous version are marked by \*\*\*. Observe national and local legal requirements. For more information, other material safety data sheets or technical data sheets please consult the OQ homepage ([www.chemicals.oq.com](http://www.chemicals.oq.com)).

The use of a comma in section 3 and section 7 to 12 is the same as a period.

#### **Disclaimer**

**For industrial use only.** The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use

**Emergency telephone number**  
12 / 13

NCEC +1 202 464 2554  
USA (A-US)

# SAFETY DATA SHEET



**OXSOFT 3G8  
11260**

**Version / Revision** 6

---

contemplated. User must meet all applicable safety and health standards.

**End of Safety Data Sheet**